

# Zertifikat

*Certificate*

## Registrier-Nr.

*Registered No.*

**44 312 13 415946-002**

**Zeichen des Auftraggebers**  
*Customer's reference*

**N. W. Terry**

**Auftragsdatum**  
*Date of order*

**18.12.2012**

**Aktenzeichen**  
*File reference*

**2.4-469/93 Schp**

**Prüfbericht Nr.**  
*Test report no.*

**13 312 415946**

**Name und Anschrift  
des Auftraggebers**

**Youngman Group Ltd.  
The Causeway, Maldon  
Essex, CM9 4LJ, United Kingdom**

*Name and address of  
the customer*

**ist berechtigt, das unten  
genannte Produkt  
mit dem abgebildeten Zeichen  
zu kennzeichnen**



*is authorized to  
provide the product  
mentioned below with  
the mark as illustrated*

**Fertigungsstätte**

**Youngman Group Ltd.  
The Causeway, Maldon  
Essex, CM9 4LJ, United Kingdom**

*Manufacturing plant*

**Geprüft nach**

**EN 1004: 2004**

*Tested in accordance with*

**Das Produkt entspricht den Anforderungen des Produktsicherheitsgesetzes ProdSG § 21**  
*The product is conform with the requirements of the Product Safety Act – ProdSG § 21*

**Beschreibung des  
Produktes  
(Details s. Anlage 1)**

**Fahrgerüst  
Modellreihe Boss Tower**  
*Mobile access working tower  
series Boss Tower*

*Description of product  
(Details see Annex 1)*

**TÜV NORD CERT GmbH  
Zertifizierungsstelle  
Fachleiter Konsumgüter**

**Gültig bis / Valid until: 22.05.2018**



**Essen, 23.05.2013**

**Bitte beachten sie auch die umseitigen Hinweise**  
*Please also pay attention to the information stated overleaf*

Modellbezeichnung:	Boss Tower
Typbezeichnung	Boss Ladderspan Boss Evolution Boss Klima
Beschreibung:	Zerlegbares Fahrgerüst aus Aluminiumrohr, Leitern zwischen den Plattformen, vier Lenkrollen mit Bremse. Gerüstklasse 3 / 2 kN/m <sup>2</sup>  Boss Ladderspan: 500 mm Rohrabstand, geschweißte T-Verbinder Boss Evolution: 500 mm Rohrabstand, geschweißte Rohrverbindungen Boss Klima: 250 mm Rohrabstand, geschweißte Rohrverbindungen, stranggepresste Rohre
Plattformabmessungen:	Breite: 850 mm /1450 mm Länge: 1800 mm/2500 mm, 3200 mm
Plattformhöhe:	Max. 8 m im Freien Max. 12 m in Innenräumen Ausleger und Ballastgewichte zur Standsicherheit
Werkstoff:	Alum-Alloy 6082 T6, 6005A T6, ENAC 42000 (LM25 T6), 5049 HI95, 5454 HI85, 5040 HI85
Zulässige Last:	2,0 kN/m <sup>2</sup> oder Einzellast 1,0 kN

Die oben aufgeführten Produkte dürfen wie folgt gekennzeichnet werden:  
*The above mentioned products could be provided with the following marking:*

TÜV NORD CERT GmbH  
Zertifizierungsstelle  
Fachleiter Konsumgüter





# Kitemark<sup>®</sup> Licence

BSI hereby grants to:

## Youngman Group Ltd

The Causeway  
Maldon  
CM9 4LJ  
United Kingdom

Kitemark Licence No: **KM 06038**

In respect of:

### **BS EN 1004**

#### **Mobile access and working towers made of prefabricated materials**

the right and Licence to use the Kitemark in accordance with the Kitemark Licence conditions of contract governing the use of the Kitemark, as may be updated from time to time by BSI, and approved by the Registrar under the Trade Marks Act 1994 (the "Conditions"). All defined terms in this Licence shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Licence provided at or from the above address. Kitemark and the Kitemark logo are registered trademarks of BSI.

For and on behalf of BSI:

David Ford, Director, Healthcare & Testing Services

First granted: **24 Jul 1991** Date: **26 Mar 2010**



# Kitemark<sup>®</sup> Licence

No. KM 06038

**Youngman Group Ltd  
Maldon**

## **BS EN 1004:2004 Mobile Access And Working Towers Made Of Prefabricated Elements**

### **BOSS Aluminium Tower System**

CLIMA 1450

Designation - EN1004 3 8/12 ABCD

CLIMA 850

Designation - EN1004 3 8/12 CD

LADDERSPAN 1450

Designation EN 1004 3 8/12 ABCD

LADDERSPAN 850

Designation - EN 1004 3 8/12 CD

ROOMMATE 850

Designation - EN 1004 3 8/12 D

BoSS Cam Lock AGR 1.8m and 2.5m – Combined Guard Rail Frame

In accordance with the approved controlled components schedule. Products are manufactured under a Quality System assessed against BS EN ISO 9001 Quality Management Systems

First granted: **24 Jul 1991**

Date: **26 Mar 2010**

Page 2 of 3

*raising standards worldwide*<sup>™</sup>



This licence remains the property of BSI and is bound by the conditions of contract. This licence does not expire. To check its validity telephone +44 (0)8450 765600. British Standards Institution is incorporated by Royal Charter.

BSI, Kitemark House, Maylands Avenue, Hemel Hempstead HP2 4SQ.



# Kitemark<sup>®</sup> Licence

No. KM 06038

**Youngman Group Ltd  
Maldon**

## Location

---

---

Youngman Group Ltd  
The Causeway  
Heybridge  
Maldon  
CM9 4LJ  
United Kingdom

---

---

First granted: **24 Jul 1991**

Date: **26 Mar 2010**

Page 3 of 3

*raising standards worldwide*<sup>™</sup>



This licence remains the property of BSI and is bound by the conditions of contract. This licence does not expire. To check its validity telephone +44 (0)8450 765600. British Standards Institution is incorporated by Royal Charter.

BSI, Kitemark House, Maylands Avenue, Hemel Hempstead HP2 4SQ.